



Isabel Cristina/RBR Productions, Inc.

SAFETY DATA SHEET

HMIS RATINGS:

Health: 1
Flammability: 4
Physical Hazard: 1
Personal Protection: *

SECTION I - IDENTIFICATION

Product Identifier: Let's Go - RBR Productions Inc.
Synonyms: Glue Accelerator
Manufacturer's Stock No: LG SP 800 CP

Recommended Use: Accelerator for drying nail glues and adhesives.
Dries Instantly. Just Spray & Buff.
Uses advised against: N/A

Manufactures: RBR Productions, Inc.
Contact Address: P.O. Box 766
Hartwell, GA 30643
Phone: (800) 247-4130

Emergency Phone Numbers:
Poison Control Center: (800) 222-1222
Business Hours: (800) 247-4130
Medical Infotrac Information: (800) 535 5053
U.S. DOT Information: (800) 535 5053
International Transportation: (352) 323 3500
SDS Number: LG800 CP

Phone: (800) 247-4130
Fax: (706) 376-8360
Email: isabelcristina99@earthlink.net
SDS Date Prepared: 5 June 2015

SECTION II - HAZARDS IDENTIFICATION

Classification EYE DAMAGE/IRRITATION - Category 2B
FLAMMABLE AEROSOLS - Category 2
SENSITIZATION - SKIN - Category 1
SKIN CORROSION/IRRITATION - Category 2
SPECIFIC TARGET ORGAN TOXICITY
(Single E - Category 3)

Signal Word Warning

Pictogram



Hazard Statements Causes eye irritation
Causes skin irritation
Flammable aerosol
May cause an allergic skin reaction
May cause respiratory irritation; or
May cause drowsiness or dizziness

Precautionary Statements

Response Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice or attention.
Specific treatment based on judgment of physician in response to reactions of the patient.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.

Prevention Avoid breathing dust, fume, gas, mist, vapors and/or spray.
Contaminated work clothing must not be allowed out of the workplace.
Do not spray on an open flame or other ignition source.
Keep away from heat.
Pressurized container: Do not pierce or burn, even after use.
Use only outdoors or in a well-ventilated area.
Wash hands before breaks and immediately after handling the product.
Wear protective gloves.

Storage Protect from sunlight.
Do not expose to temperatures exceeding 50oC/122oF.
Store in a well-ventilated place.
Keep container tightly closed.
Store locked up.

Disposal Dispose of contents/container to licensed waste disposal contractor.

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

Color: Colorless
Form: Clear Liquid
Odor: Mild Odor

Potential Health Effects:

General: May cause temporary irritation, tearing and blurred vision. May be harmful if swallowed. Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe lung injury. Excessive inhalation may cause irritation to the respiratory tract, nausea, headache, and dizziness.

Inhalation: (Acute and Chronic): Overexposure may cause central nervous system depression, anemia, and/or liver damage. Overexposure to the product may cause respiratory tract irritation, nausea, headache, and dizziness.

Skin: Overexposure to direct spray may cause skin freezing bite.

Eye: Direct spray into the eyes may cause eye to become red and painful. Might irritate eye upon direct contact with spray.

Ingestion: (Acute and Chronic): Overexposure may cause central nervous system depression, anemia, and/or liver damage. Overexposure to the product may cause respiratory tract irritation, nausea, headache, and dizziness.

Routes of Exposure: Skin contact. Inhalation. Ingestion.

Target Organs: Central nervous system and/or Respiratory system.

OSHA Regulatory Status:

This product is hazardous according to OSHA 29CFR 1910.1200.

SECTION III - INGREDIENTS

CAS	Ingredient Name	Weight %
TSRN 222763245-5001	Trade Secret Registration Number	4.99%
74-98-6	Propane	95.01%

Occupational exposure limits, if available, are listed in Section 8.

SECTION IV - FIRST AID MEASURES

General: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

Inhalation: Remove affected person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Skin Contact: May cause skin freezing bite. Wash off with soap and water. Avoid prolonged and/or repeated exposure. Seek medical attention.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

Ingestion: Ingestion of this product is extremely unlikely. However, if ingestion should occur, drink plenty of water, and induce vomiting. Call a poison control center or doctor for treatment advice.

Treatment: Treatment based on judgment of physician in response to reactions of the patient.

Notes to the Physician:

SECTION V - FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water, Water Fog, Dry Chemical, Co2

Unsuitable Extinguishing Media: N/A

Special Fire Fighting: As in any fire, wear self-contained breathing

Procedures apparatus pressure-demand, MSHA/OSHA (approved or equivalent) and full protective gear. Self-contained respiratory protection should be provided for firemen fighting in buildings or confined areas.

Unusual Fire & Explosion Hazards: Aerosols are under pressure. Exposure in excess of 120oF may cause bursting of can.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate personal protection equipment. For personal protection see section 8.

Evacuation Procedures: Evacuate the area promptly. Keep upwind of the spilled material and isolate exposure.

Spill Cleanup Methods: Evacuate all personnel and remain upwind of leak. Avoid inhalation of

concentrated vapors. Absorb spilled material with appropriate absorbent.

Notification Procedures: Stop leak if possible. Eliminate all sources of ignition. Prevent vapor from entering sewers, basements or confined areas. Take note of any information in Section 8 on suitable personal protective equipment.

SECTION VII - HANDLING AND STORAGE

Handling: Keep away from heat and ignition sources - No smoking. Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with skin, eyes and clothing. Avoid breathing vapors of this product. Local exhaust should be used when handling this product in enclosed spaces. Employee education & training is essential. For professional use only. Do not contaminate water, feed or food by storage, handling or disposal. Read and observe all precautions on the label. Do not expose containers to heat, flame, sparks or other ignition sources,

they may explode and cause injury or death. Empty containers may retain product residues and may be dangerous.

Storage: Store in a cool, dry well ventilated area away from heat and ignition sources. Keep in the original container tightly closed. Keep away from incompatible materials, oxidizers, strong base and strong acids. Empty containers may retain product residues.

KEEP OUT OF THE REACH OF CHILDREN

SECTION VIII - EXPOSURE CONTROLS and PERSONAL PROTECTION

Occupational Exposure Limits:

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Trade Secret Registration Number	N/A	N/A	N/A
Propane	NE ppm	1000 ppm	N/A

Personal Protective Equipment:

N/A

Protective Measures:

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Employee education & training is essential. For professional use only.

Respiratory Protection:

Under normal conditions, respirator is not normally required.

Eyes and Face Protection:

Not required when used as directed.

Skin and Body Protection:

Not required when used as directed.

Hygiene Measures:

Provide eyewash station and safety shower. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Avoid contact with eyes, skin, and face. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Contaminated work clothing should not be allowed out of the workplace.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid in aerosol can
Color	Clear/Colorless
Odor	Mild Odor
Odor Threshold	N/A
Solubility	Soluble
Partition coefficient Water/n-	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	0.59
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A

FP Method	N/A
Ph	N/A
Melting Point	N/A
Boiling Point	N/A
Boiling Range	(cone.) 94
LEL	N/A
UEL	N/A
Evaporation Rate	>1 (Butyl Acetate =1)
Flammability	N/A
Decomposition Tempera-	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	@70 F: 45 psig
Vapor Density	>1

SECTION X - STABILITY AND REACTIVITY

Stability: This is a stable product.
Possibility of Hazardous Reactions: Will not occur.
Conditions to Avoid: High temperatures.
Incompatible Materials: Strong oxidizing agents and alkalis.
Hazardous Decomposition Products: Burns to form Co2, CO and possible incompletely decomposed materials.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity (Oral): Not determined
Acute Toxicity (Dermal): Not determined
Inhalation: Not determined
Ingestion: Not determined
Skin Corrosion/Irritation: Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation: Eye Damage/Irritation Category 2A
Respiratory Sensitizer/Skin Sensitizer: Skin Sensitization Category 1
Carcinogenicity: Not classified. None of the ingredients present in this product at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.
Mutagenesis: Not determined
Reproductive Toxicity: Not determined
Other Effects: Specific target organ toxicity (single exposure): STOT Single exposure 3

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: This product may be toxic to fish or other aquatic organisms. Do NOT discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. Contact your State Water Board or Regional Office of the EPA for guidance.

Acute Toxicity (Fish): N/A
Chronic Toxicity (Fish): N/A
Acute Toxicity (Aquatic Invertebrates): N/A
Chronic Toxicity (Aquatic Invertebrates): N/A
Acute Toxicity (Aquatic Plants): N/A
Persistence and Degradability: N/A
Bioaccumulative Potential: Mobility: N/A

SECTION XIII - DISPOSAL

Disposal Method: All wastes must be handled in accordance with local, state and federal regulations. See section 7 for Handling Procedures. See section 8 for Personal Protective Equipment recommendations.
Component Waste Numbers: No EPA Waste Numbers are applicable for this product's components.

SECTION XIV - TRANSPORT INFORMATION

UN Number:	1950
UN Proper Shipping Name:	LIMITED QUANTITY
DOT Classification	LIMITED QUANTITY
Packing Group	LIMITED QUANTITY
IMDG - INTERNATIONAL MARITIME DANGEROUS GOODS CODE	(cone.) 94
UN Number	1950
UN Proper Shipping Name:	AEROSOLS, FLAMMABLE
Transport Hazard Class(es):	2.1 (6.1)
Subsidiary Risk Label:	N/A
Packing Group:	N/A
Label(s):	LIMITED QUANTITY
Marine Pollutant:	N/A
EmS No.	N/A
IATA	
UN Number:	1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Transport Hazard Class(es):	2.1 (6.1)
Subsidiary Risk Label:	N/A
Packing Group:	N/A
Label(s):	LIMITED QUANTITY

SECTION XV - REGULATORY INFORMATION

INVENTORY STATUS

Canada DSL Inventory List:	On or in compliance with the inventory
EU EINECS List:	On or in compliance with the inventory
EU ELINCS List:	On or in compliance with the inventory
Japan (ENCS) List:	Not in compliance with the inventory
EU No Longer Polymers List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory
Philippines PICCS:	Not in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Switzerland Consolidated Inventory:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory
Japan Pharmacopoeia Listing:	Not in compliance with the inventory

US REGULATIONS

CERCLA Hazardous Substance List (40 CFR 302.4):	None listed
Clean Water Act Section 311 Hazardous Substances (40 CFR117.3):	None listed
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):	None listed

SARA TITLE III

Section 302 Extremely Hazardous Substances (40 CFR 355, Appendix A):	There are no SARA Title III Section 302 Extremely Hazardous Substances present in this product (40 CFR 355, Appendix A).
Section 311/312 (40 CFR 370):	(X) Acute (Immediate) (X) Chronic (Delayed) (X) Fire () Reactive () Pressure Generating
Section 313 Toxic Release Inventory (40 CFR 372):	This product contains no toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 and 49 CFR 372.

STATE REGULATIONS

California SafeDrinking Water and Toxic Enforcement Act of 1986 (Proposition 65)	None listed
Massachusetts Right-To- Know List	None listed
New Jersey Right-To-Know List	None listed

SECTION XVI - OTHER INFORMATION

Revision Date: 3/16/2015

Disclaimer: The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.